

Инструкция по сборке

Необходимые детали:

- Трубы: **длинные (2 шт.), короткие (11 шт.)**.
 - Соединители: **4 тройника (tee), 2 четырёхходовых (four-way)**.
 - Ткань: **1 большое отделение, 1 малое отделение, чехол**.
 - Дополнительно: **стержень для вешалок (hanging clothes rod)**.
-

Шаг 1: Основание

1. Соберите нижнюю часть:
 - Возьмите **6 коротких труб** и **6 соединителей** (используйте тройники или четырёхходовые, если указано).
 - Соедините их в прямоугольную раму (см. *Рисунок А*).

Шаг 2: Боковые секции

1. **Правая сторона:**
 - Возьмите **4 короткие трубы, 4 тройника, малое отделение**.
 - Соберите вертикальную конструкцию, прикрепив ткань.
2. **Левая сторона:**
 - Используйте **2 длинные трубы, 2 тройника, 1 короткую трубу**.
 - Соедините с основанием (см. *Рисунок В*).

Шаг 3: Средний слой

1. Установите **4 короткие трубы и 4 тройника** в центральной части.
2. Закрепите **малое отделение ткани** между ними.

Шаг 4: Верхняя часть

1. Соберите верхнюю раму:
 - **5 коротких труб, 2 длинные трубы, 4 тройника, 2 четырёхходовых соединителя**.

2. Установите **стержень для вешалок** (см. *Рисунок С*).

Шаг 5: Завершение

1. Натяните **чехол** на каркас.
2. Поправьте ткань, чтобы все отделения были доступны.
3. Проверьте устойчивость конструкции.

step one:

Remove the four foot tees, two foot legs, two long tubes five short tubes
A large compartment fabric, a small compartment fabric as shown.



step two:

Remove the six short tube plug, open the cloth cover zipper to find the bottom six sets of cloth holes in the six sets of short on the tube.




step three:

Remove the four tees, two four-way, five short tubes, two long tubes, one large compartment cloth one small compartment fabric assembly shown in Figure.



step four:

Remove the two long tubes, four short tubes, a small compartment fabric assembly Figure.



step five

Remove four tees, four short pipes one small compartment fabric assembled the right half Sub-third layer, and then take four short tubes Plug in, put on the middle small compartment cloth.



step six

Remove four short pipes, four tees and one small compartment Lay the right half of the assembly and then take two long tubes, Two straight tees and one short pipe are assembled to the left section.



step seven

Remove five short tubes, two long tubes, four three, two four-way assembled the top and then remove the two hanging a hanging clothes rod assemble well.



step eight

Left or right to move up the cloth cover. Set a good cloth cover, the installation is complete!
(Is not a great sense of accomplishment it! Dear)

